

Natural Nucleus Error Messages

NAT3451-NAT3500

NAT3451: Natural for SESAM Field Description Table not found.

Text	Natural for SESAM Field Description Table not found.
Expl.	The Natural SESAM interface was not able to locate the required Field Description Table (FDT) for the provided database ID and file number. The reason is that the FDT has not been generated or assembled, or that the FDT is not in the correct FDT library, or that the FDT library specified in the Natural SESAM parameter module does not exist.
Actn.	Make sure that the required FDT has been generated, assembled, and located in the correct FDT library.

NAT3452: Error in Natural for SESAM Field Description Table.

Text	Error in Natural for SESAM Field Description Table.
Expl.	The Field Description Table (FDT) is not consistent with the corresponding SESAM database definition or the corresponding Natural view/DDM.
Actn.	Check FDT, database definition and view/DDM for consistency.

NAT3453: Error in conversion of field formats.

Text	Error in conversion of field formats.
Expl.	The Natural SESAM interface has attempted to convert the format of fields for a database access, but the formats in the DDM and in the database are not compatible.
Actn.	Change the format/length of the field in the DDM if possible.

NAT3454: It is not possible to convert one of the formats.

Text	It is not possible to convert one of the formats.
Expl.	The format of one of the DDM fields cannot be converted for a SESAM database access.
Actn.	Change the format of the field in the DDM if possible.

NAT3455: Internal Natural for SESAM error (table overflow).

Text	Internal Natural for SESAM error (table overflow).
Actn.	Terminate Natural session and try again; if error occurs again, contact Software AG support.

NAT3456: Internal Natural for SESAM error.

Text	Internal Natural for SESAM error.
Actn.	Terminate Natural session and try again; if error occurs again, contact Software AG support.

NAT3457: Not enough memory for Natural for SESAM.

Text	Not enough memory for Natural for SESAM.
Expl.	One reason for this error may be that the value specified for the DBSSIZE parameter either in the Natural parameter module or when invoking Natural is too small.
Actn.	Terminate Natural session and try again; if error occurs again, invoke Natural with a larger DBSSIZE or contact your Natural administrator.

NAT3458: I/O error when writing to trace file.

Text	I/O error when writing to trace file.
Actn.	Do not use the trace function.

NAT3459: Misplaced END TRANSACTION statement for SESAM access.

Text	Misplaced END TRANSACTION statement for SESAM access.
Expl.	Please refer to the SESAM-specific Natural documentation for further information.
Actn.	Correct error in program.

NAT3460: Subfield of SESAM long field incorrectly specified.

Text	Subfield of SESAM long field incorrectly specified.
Expl.	When the two subfields that make up a SESAM long field are referenced for the first time after a database access, they must be referenced in the correct sequence and one immediately after the other.
Actn.	Correct error in program.

NAT3461: Invalid use of RETAIN SET for SESAM database.

Text	Invalid use of RETAIN SET for SESAM database.
Expl.	Please refer to the SESAM-specific Natural documentation for further information on usage of RETAIN SET for SESAM databases.
Actn.	Correct error in program.

NAT3462: Invalid use of superdescriptor for SESAM database.

Text	Invalid use of superdescriptor for SESAM database.
Actn.	Check FDT. If necessary, contact Software AG support.

NAT3463: Internal Natural for SESAM error when using AUTOPSW.

Text	Internal Natural for SESAM error when using AUTOPSW.
Expl.	Store clock command failed.
Actn.	Contact your system administrator.

NAT3464: Occurrences for multiple-value field must be contiguous.

Text	Occurrences for multiple-value field must be contiguous.
Expl.	When modifying a multiple-value field in a SESAM database, the range of occurrences must be contiguous.
Actn.	Correct error in program.

NAT3465: Natural for SESAM buffer(s) too small.

Text	Natural for SESAM buffer(s) too small.
Actn.	Increase the buffer sizes for the statement area, response area or inquiry area in the Natural SESAM parameter module.

NAT3466: Requested ISN does not exist in SESAM database.

Text	Requested ISN does not exist in SESAM database.
Expl.	This error is caused by one of the following: - You have used a READ BY ISN statement to access a SESAM database; however, READ BY ISN is not allowed for SESAM databases. - With a GET statement, you have specified an ISN which does not exist in the database. For a SESAM database, an existing ISN must be specified with the database.
Actn.	Do not use READ BY ISN for SESAM databases. Use only existent ISN in GET statement for SESAM database.

NAT3467: Initialisation of Natural for SESAM failed.

Text	Initialisation of Natural for SESAM failed.
Expl.	This message is output together with a more detailed message describing the reason why the initialisation failed.
Actn.	See explanation of detailed message.

NAT3468: Requested field not found in FDT.

Text	Requested field not found in FDT.
Expl.	In the DDM, fields are defined which are not defined in the corresponding FDT.
Actn.	Make sure that DDM and FDT match. If necessary, contact your Natural administrator.

NAT3469: Error in function of Natural for SESAM utility.

Text	Error in function of Natural for SESAM utility.
Expl.	This is an internal error which is caused by an incompatibility between the Natural SESAM interface and the Natural SESAM utilities.
Actn.	Make sure that the Natural SESAM interface and the Natural SESAM utilities are of the same version. If they are and this error occurs, contact Software AG support.

NAT3470: Invalid command ID for complex FIND or GET statement.

Text	Invalid command ID for complex FIND or GET statement.
Expl.	Internal error. Probably missing END TRANSACTION statement.
Actn.	Check documentation on Natural SESAM transaction logic. If necessary, set the profile parameter ET to "ON".

NAT3471: Record buffer too small for LF command.

Text	Record buffer too small for LF command.
Expl.	Internal error.
Actn.	Contact Software AG support.

NAT3472: Syntax error in format buffer.

Text	Syntax error in format buffer.
Expl.	Internal error.
Actn.	Contact Software AG support.

NAT3473: The DBID has not been specified for SESAM.

Text	The DBID has not been specified for SESAM.
Expl.	The NTDB entry with SESAM has not been specified for this DBID.
Actn.	Correct DBID, or enhance NTDB entry for SESAM.

NAT3474: * RESERVED FOR Natural SESAM *******NAT3475: *** RESERVED FOR Natural SESAM *******NAT3476: *** RESERVED FOR Natural SESAM *******NAT3477: *** RESERVED FOR Natural SESAM *******NAT3478: *** RESERVED FOR Natural SESAM *******NAT3479: *** RESERVED FOR Natural SESAM *****

NAT3480: * RESERVED FOR Natural SESAM *****

NAT3481: * RESERVED FOR Natural SESAM *****

NAT3482: * RESERVED FOR Natural SESAM *****

NAT3483: * RESERVED FOR Natural SESAM *****

NAT3484: * RESERVED FOR Natural SESAM *****

NAT3485: * RESERVED FOR Natural SESAM *****

NAT3486: * RESERVED FOR Natural SESAM *****

NAT3487: * RESERVED FOR Natural SESAM *****

NAT3488: * RESERVED FOR Natural SESAM *****

NAT3489: * RESERVED FOR Natural SESAM *****

NAT3490: * RESERVED FOR Natural SESAM *****

NAT3491: * RESERVED FOR Natural SESAM *****

NAT3492: * RESERVED FOR Natural SESAM *****

NAT3493: * RESERVED FOR Natural SESAM *****

NAT3494: * RESERVED FOR Natural SESAM *****

NAT3495: * RESERVED FOR Natural SESAM *****

NAT3496: * RESERVED FOR Natural SESAM *****

NAT3497: * RESERVED FOR Natural SESAM *****

NAT3498: * RESERVED FOR Natural SESAM *****

NAT3499: * RESERVED FOR Natural SESAM *****

NAT3500: FCT definition for :1: incomplete; :2: missing.

Text	FCT definition for :1: incomplete; :2: missing.
Expl.	Natural for VSAM requires information from the CICS file control table to generate a CICS command; however, this information is missing.
Actn.	Contact your CICS administrator.